



Find: 2000 jan crawl documents dynamic s

Documents

Citations

Searching for PHRASE 2000 jan crawl documents dynamic search.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[Estimating the Usefulness of Search Engines - Meng, Liu, Yu, Wu, Rishe \(1999\) \(Correct\) \(5 citations\)](#)  
21st Century. IDM Program, NSF, March 1998. 9] B. Jansen, A. Spink, J. Bateman, and T. Saracevic. Real is defined to be a combination of the number of **documents** in the **search** engine that are sufficiently  
[panda.cs.binghamton.edu/~meng/pub.d/ficde99.ps.gz](http://panda.cs.binghamton.edu/~meng/pub.d/ficde99.ps.gz)

[Mobisaic - Voelker, Bershad \(1995\) \(Correct\)](#)  
environment. Mobisaic extends the Web by allowing **documents** to both refer and react to potentially changing  
[ftp.cs.washington.edu/tr/1995/04/UW-CSE-95-04-01.PS.gz](http://ftp.cs.washington.edu/tr/1995/04/UW-CSE-95-04-01.PS.gz)

[An Abstract Interpreter for Improving the Efficiency .. - Ciampolini, Lamma.. \(1996\) \(Correct\)](#)  
January, 31, 1996 DEIS Technical Report no.  
Interpreter for Improving the Efficiency of **Dynamic** Modular Logic Languages Universit'a degli Studi  
raised. The binding requires to perform a **dynamic search** in the run-time program representation. For  
[www-lia.deis.unibo.it/Research/TechReport/lia96002.ps.Z](http://www-lia.deis.unibo.it/Research/TechReport/lia96002.ps.Z)

[Dissemination of Collection Wide Information in a Distributed.. - Viles \(1995\) \(Correct\) \(34 citations\)](#)  
information (CWI) in a distributed collection of **documents** is needed to achieve retrieval effectiveness  
[ils.unc.edu/~viles/papers/sigir95.ps](http://ils.unc.edu/~viles/papers/sigir95.ps)

[Web Document Clustering: A Feasibility Demonstration - Zamir, Etzioni \(1998\) \(Correct\) \(74 citations\)](#)  
[Web Document Clustering: A Feasibility Demonstration](#) Oren  
[zhadum.cs.washington.edu/zamir/sigir98.ps](http://zhadum.cs.washington.edu/zamir/sigir98.ps)

[The Sequoia 2000 Electronic Repository - Larson, Plaunt, Hearst, Woodruff \(1995\) \(Correct\)](#)  
The Sequoia 2000 Electronic Repository Ray R. Larson Christian  
of probabilistic indexing and retrieval for text **documents** in POSTGRES, and the development of algorithms  
[bliss.berkeley.edu/papers/decpaper/decpaper.ps](http://bliss.berkeley.edu/papers/decpaper/decpaper.ps)

[Taming Message Passing: Efficient Method Look-Up for.. - Vitek, Horspool \(1994\) \(Correct\) \(12 citations\)](#)  
Method Look-Up for **Dynamically** Typed Languages Jan Vitek 1 and R. Nigel Horspool 2 1 Object  
Message Passing: Efficient Method Look-Up for **Dynamically** Typed Languages Jan Vitek 1 and R. Nigel  
is usually implemented by a cached inheritance **search**. Unfortunately, this technique is slow. A  
[cui.unige.ch/OSG/people/jvitek/Publications/ecoop94.ps.gz](http://cui.unige.ch/OSG/people/jvitek/Publications/ecoop94.ps.gz)

[A Hierarchic Architecture for Conceptual Information Retrieval - Li, Danzig \(1996\) \(Correct\)](#)  
approach is to compare the query with all the **documents** in the database. When the number of **documents**  
When the number of **documents** is large, the **searching** time becomes significant. In this paper, we  
hierarchic agglomerative clustering to reduce the **searching** time. We employ three clustering algorithms  
[catarina.usc.edu/shli/misi.ps.gz](http://catarina.usc.edu/shli/misi.ps.gz)

[The MetaCrawler Architecture for Resource Aggregation on the Web - Selberg, Etzioni \(1997\) \(Correct\) \(69 citations\)](#)  
and his Ph.D. from Carnegie Mellon University in January 1991. He joined the University of Washington  
We found that each service returns different **documents** for the same query. Also, there is an inherent  
to perform well and to scale and adapt to a **dynamic** Internet. 1.1 Motivation Since its inception,  
[www.cs.washington.edu/homes/speed/papers/ieee/ieee-metacrawler.ps](http://www.cs.washington.edu/homes/speed/papers/ieee/ieee-metacrawler.ps)

[Xerox Site Report: Four TREC-4 Tracks - Hearst, Pedersen, Pirolli.. \(1996\) \(Correct\) \(3 citations\)](#)  
their similarity to the expanded query, and the top 2000 **documents** are selected for each query. These  
Xerox Site Report: Four TREC-4 Tracks Marti Hearst, Jan Pedersen, Peter Pirolli and Hinrich Schutze Xerox  
classification: given a training set of judged **documents**, build an error-minimizing statistical

[parcftp.xerox.com/pub/hearst/trec4.ps.gz](http://parcftp.xerox.com/pub/hearst/trec4.ps.gz)

dSCAM: Finding Document Copies Across Multiple Databases - Garcia-Molina, Gravano.. (1996) (Correct)  
In Proceedings of the Winter USENIX Conference, January 1994. 20] Michael F. Schwartz, Alan Emtage,  
dSCAM: Finding Document Copies Across Multiple Databases Hector  
[www-db.stanford.edu/pub/gravano/1996/pdis96.ps](http://www-db.stanford.edu/pub/gravano/1996/pdis96.ps)

Distributed Web Crawling over DHTs - Boon Thau Loo (2004) (Correct)  
shows that only URL results a 0 500 1000 1500 2000 2500 0 10 20 30 40 50 60 70 80  
Queries. UC Berkeley Tech Report, UCB/CSD-04-1301, Jan 2004. 18] R. Ramakrishnan and J. D. Ullman. A  
Distributed Web Crawling over DHTs Boon Thau Loo Owen Cooper Sailesh  
[www.cs.berkeley.edu/~boonloo/papers/webcrawl.pdf](http://www.cs.berkeley.edu/~boonloo/papers/webcrawl.pdf)

The Dynamics of Dynamic Variable Ordering Heuristics - Prosser (1998) (Correct) (2 citations)  
checking and mac-based algorithms [10]0 1000 2000 3000 4000 5000 6000 0 2 4 6 8 10 12 14 16 18 20  
The Dynamics of Dynamic Variable Ordering Heuristics Patrick  
and attempts to measure the entropy of the search process at different depths in the search tree. 1  
[www.cs.strath.ac.uk/~apes/papers/pcp98.ps.gz](http://www.cs.strath.ac.uk/~apes/papers/pcp98.ps.gz)

Dynamic Reducts as a Tool for Extracting Laws from Decisions.. - Skowron, Synak (1994) (Correct)  
(14 citations)  
as a Tool for Extracting Laws from Decisions Tables Jan G. Bazan 1 Andrzej Skowron 2 and Piotr Synak  
Dynamic Reducts as a Tool for Extracting Laws from  
[ftp.ii.pw.edu.pl/pub/Reports/43\\_94.ps.Z](http://ftp.ii.pw.edu.pl/pub/Reports/43_94.ps.Z)

Neural Network Autoregressive Modeling of Vibrations for.. - Andrew McCormick (Correct)  
0 1000 0 50 100 150 200 250 300 350 400 450 500 -2000 0 2000 0 50 100 150 200 250 300 350 400 450 500  
Systems and Signal Processing, 10(1)1-17, Jan 1996. 2] A. C. McCormick and A. K. Nandi. Real  
[www.spd.eee.strath.ac.uk/~andy/icnn.ps](http://www.spd.eee.strath.ac.uk/~andy/icnn.ps)

Application of Logical Analysis of Data to the TREC6.. - Boros, Kantor, Lee.. (Correct)  
and negative (i.e. judged not relevant) documents are studied separately, using Church's measure  
using the MG (Witten, Moffat, Bell, 1994) search engine, and the terms are in fact stems, rather  
for each topic) with several modifications, to search exhaustively for Boolean prime implicants which  
[www.cpe.ku.ac.th/~arnon/trec6\\_papers/trec6\\_45.ps.gz](http://www.cpe.ku.ac.th/~arnon/trec6_papers/trec6_45.ps.gz)

An Algebra for Structured Text Search and A Framework.. - Clarke, Cormack.. (1995) (Correct) (35 citations)  
7(4)123-157, April 1989. 7] Marc Gyssens, Jan Paredaens, and Dirk Van Gucht. A grammar-based  
queries that search a pre-defined collection of documents, the algebra permits queries that harness  
An Algebra for Structured Text Search and A Framework for its Implementation Charles  
[cs-archive.uwaterloo.ca/cs-archive/CS-94-30/structxt.ps](http://cs-archive.uwaterloo.ca/cs-archive/CS-94-30/structxt.ps)

Trajectory Planning in Dynamic Workspaces: a 'State-Time Space'.. - Fraichard (1997) (Correct)  
[www.inrialpes.fr/sharp/people/frchard/documents/fraichard:rsjar.ps.gz](http://www.inrialpes.fr/sharp/people/frchard/documents/fraichard:rsjar.ps.gz)  
to Advanced Robotics Trajectory Planning in Dynamic Workspaces: a 'State-Time Space' Approach Th.  
workspace. A near-time-optimal approach that searches the solution trajectory over a restricted set  
[www.inrialpes.fr/sharp/people/frchard/documents/fraichard:rsjar.ps.gz](http://www.inrialpes.fr/sharp/people/frchard/documents/fraichard:rsjar.ps.gz)

Issues in Temporal Representation of Multimedia Documents - Layaïda (1996) (Correct) (2 citations)  
Issues in Temporal Representation of Multimedia Documents Nabil Layada OPERA project, INRIA  
may be static like text, still images, etc. or dynamic like video, audio, interaction, etc. A video or  
[ftp.inrialpes.fr/pub/INRIA/projects/OPERA/publications/WRTMW96.ps.gz](http://ftp.inrialpes.fr/pub/INRIA/projects/OPERA/publications/WRTMW96.ps.gz)

Sub-element Indexing and Probabilistic Retrieval in the POSTGRES .. - Fontaine (1995) (Correct) (1 citation)  
This work was supported in part by the Sequoia 2000 project at the University of California, a project  
of the Americal Society for Information Science, January 1992. 8] Lynch, C. and Stonebraker, M.  
boolean search methods to request and retrieve documents. While effective for precise query  
[wuarchive.wustl.edu/packages/postgres/papers/CSD-95-876.ps.Z](http://wuarchive.wustl.edu/packages/postgres/papers/CSD-95-876.ps.Z)

First 20 documents [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

Find: 

Searching for **PHRASE** **crawl documents dynamic search**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)  
[Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[Estimating the Usefulness of Search Engines - Meng, Liu, Yu, Wu, Rishe \(1999\) \(Correct\) \(5 citations\)](#)  
 is defined to be a combination of the number of **documents** in the **search** engine that are sufficiently  
[panda.cs.binghamton.edu/~meng/pub.d/icde99.ps.gz](http://panda.cs.binghamton.edu/~meng/pub.d/icde99.ps.gz)

[Mobisaic - Voelker, Bershad \(1995\) \(Correct\)](#)

environment. Mobisaic extends the Web by allowing **documents** to both refer and react to potentially changing  
[ftp.cs.washington.edu/tr/1995/04/UW-CSE-95-04-01.PS.gz](http://ftp.cs.washington.edu/tr/1995/04/UW-CSE-95-04-01.PS.gz)

[An Abstract Interpreter for Improving the Efficiency .. - Ciampolini, Lamma.. \(1996\) \(Correct\)](#)

Interpreter for Improving the Efficiency of **Dynamic** Modular Logic Languages Universit'a degli Studi  
 raised. The binding requires to perform a **dynamic search** in the run-time program representation. For  
 representation. For instance, in [13] a linear **search** takes place **dynamically** for each predicate call  
[www.lia.deis.unibo.it/Research/TechReport/lia96002.ps.Z](http://www.lia.deis.unibo.it/Research/TechReport/lia96002.ps.Z)

[Dissemination of Collection Wide Information in a Distributed.. - Viles \(1995\) \(Correct\) \(34 citations\)](#)  
 information (CWI) in a distributed collection of **documents** is needed to achieve retrieval effectiveness  
[ils.unc.edu/~viles/papers/sigir95.ps](http://ils.unc.edu/~viles/papers/sigir95.ps)

[Web Document Clustering: A Feasibility Demonstration - Zamir, Etzioni \(1998\) \(Correct\) \(74 citations\)](#)

Web Document Clustering: A Feasibility Demonstration Oren  
[zhadum.cs.washington.edu/zamir/sigir98.ps](http://zhadum.cs.washington.edu/zamir/sigir98.ps)

[A Hierarchic Architecture for Conceptual Information Retrieval - Li, Danzig \(1996\) \(Correct\)](#)

approach is to compare the query with all the **documents** in the database. When the number of **documents**  
 When the number of **documents** is large, the **searching** time becomes significant. In this paper, we  
 hierarchic agglomerative clustering to reduce the **searching** time. We employ three clustering algorithms  
[catarina.usc.edu/shli/mlsi.ps.gz](http://catarina.usc.edu/shli/mlsi.ps.gz)

[The MetaCrawler Architecture for Resource Aggregation on the Web - Selberg, Etzioni \(1997\) \(Correct\) \(69 citations\)](#)

We found that each service returns different **documents** for the same query. Also, there is an inherent  
 to perform well and to scale and adapt to a **dynamic** Internet. 1.1 Motivation Since its inception,  
 The MetaCrawler Softbot is a parallel Web **search** service that has been available at the University  
[www.cs.washington.edu/homes/speed/papers/ieee/ieee-metacrawler.ps](http://www.cs.washington.edu/homes/speed/papers/ieee/ieee-metacrawler.ps)

[dSCAM: Finding Document Copies Across Multiple Databases - Garcia-Molina, Gravano.. \(1996\) \(Correct\)](#)

dSCAM: Finding **Document** Copies Across Multiple Databases Hector  
[www-db.stanford.edu/pub/gravano/1996/pdis96.ps](http://www-db.stanford.edu/pub/gravano/1996/pdis96.ps)

[Distributed Web Crawling over DHTs - Boon Thau Loo \(2004\) \(Correct\)](#)

Distributed Web **Crawling** over DHTs Boon Thau Loo Owen Cooper Sailesh  
[www.cs.berkeley.edu/~boonloo/papers/webcrawl.pdf](http://www.cs.berkeley.edu/~boonloo/papers/webcrawl.pdf)

[The Dynamics of Dynamic Variable Ordering Heuristics - Prosser \(1998\) \(Correct\) \(2 citations\)](#)

The **Dynamics** of **Dynamic** Variable Ordering Heuristics Patrick  
 and attempts to measure the entropy of the **search** process at different depths in the **search** tree. 1  
 of the **search** process at different depths in the **search** tree. 1 Introduction Many studies have shown  
[www.cs.strath.ac.uk/~apes/papers/pcp98.ps.gz](http://www.cs.strath.ac.uk/~apes/papers/pcp98.ps.gz)

[Application of Logical Analysis of Data to the TREC6.. - Boros, Kantor, Lee.. \(Correct\)](#)

and negative (i.e. judged not relevant) **documents** are studied separately, using Church's measure

using the MG (Witten, Moffat, Bell, 1994) **search** engine, and the terms are in fact stems, rather for each topic) with several modifications, to **search** exhaustively for Boolean prime implicants which [www.cpe.ku.ac.th/~arnon/trec6\\_papers/trec6\\_45.ps.gz](http://www.cpe.ku.ac.th/~arnon/trec6_papers/trec6_45.ps.gz)

An Algebra for Structured Text Search and A Framework.. - Clarke, Cormack.. (1995) (Correct) (35 citations)  
queries that **search** a pre-defined collection of **documents**, the algebra permits queries that harness  
An Algebra for Structured Text **Search** and A Framework for its Implementation Charles  
A query algebra is presented that expresses **searches** on structured text. In addition to traditional  
[cs-archive.uwaterloo.ca/cs-archive/CS-94-30/structxt.ps](http://cs-archive.uwaterloo.ca/cs-archive/CS-94-30/structxt.ps)

Trajectory Planning in Dynamic Workspaces: a 'State-Time Space'.. - Fraichard (1997) (Correct)  
[www.inrialpes.fr/sharp/people/frchard/documents/fraichard:rsjar:ps.gz](http://www.inrialpes.fr/sharp/people/frchard/documents/fraichard:rsjar:ps.gz)  
to Advanced Robotics Trajectory Planning in **Dynamic** Workspaces: a 'State-Time Space' Approach Th.  
workspace. A near-time-optimal approach that **searches** the solution trajectory over a restricted set  
[www.inrialpes.fr/sharp/people/frchard/documents/fraichard:rsjar:ps.gz](http://www.inrialpes.fr/sharp/people/frchard/documents/fraichard:rsjar:ps.gz)

Issues in Temporal Representation of Multimedia Documents - Layaïda (1996) (Correct) (2 citations)  
Issues in Temporal Representation of Multimedia **Documents** Nabil Layada OPERA project, INRIA  
may be static like text, still images, etc. or **dynamic** like video, audio, interaction, etc. A video or  
[ftp.inrialpes.fr/pub/INRIA/projets/OPERA/publications/WRTMW96.ps.gz](http://ftp.inrialpes.fr/pub/INRIA/projets/OPERA/publications/WRTMW96.ps.gz)

Sub-element Indexing and Probabilistic Retrieval in the POSTGRES .. - Fontaine (1995) (Correct) (1 citation)  
boolean **search** methods to request and retrieve **documents**. While effective for precise query  
[wuarchive.wustl.edu/packages/postgres/papers/CSD-95-876.ps.Z](http://wuarchive.wustl.edu/packages/postgres/papers/CSD-95-876.ps.Z)

Dynamic Data Mining: Exploring Large Rule Spaces by Sampling - Brin, Page (1998) (Correct) (2 citations)  
necessary to store some large data structures for **crawling** such as url queues) Another use of this  
It has been applied to collections of text **documents**, census data, and environmental data. Any data  
Paper number 261 **Dynamic** Data Mining: Exploring Large Rule Spaces by  
[www-db.stanford.edu/~sergey/ddm.ps](http://www-db.stanford.edu/~sergey/ddm.ps)

A Corpus Analysis Approach for Automatic Query Expansion.. - Gauch, Wang, Rachakonda (1998) (Correct) (8 citations)  
can be found, typically many irrelevant **documents** are also retrieved and many relevant ones are  
to consider the applicability of this approach to **dynamic** collections. We expect that the amount of data  
and Computer Science University of Kansas ABSTRACT **Searching** online text collections can be both rewarding  
[www.tisl.ukans.edu/~sgauch/papers/TOIS98.ps](http://www.tisl.ukans.edu/~sgauch/papers/TOIS98.ps)

Video and Audio: Organization and Retrieval in the WWW - Chen, Tan, Sane, Li.. (1996) (Correct) (3 citations)  
focused on methods for the fast retrieval of **documents** consisting of static text and images. A wide  
the hierarchical access, browsing, **search**, and **dynamic** composition of continuous media. Implementations  
to facilitate the hierarchical access, browsing, **search**, and **dynamic** composition of continuous media.  
[www.vosaic.com/corp/papers/www5.ps](http://www.vosaic.com/corp/papers/www5.ps)

Evaluating the Cost of Boolean Query Mapping - Chang (1997) (Correct) (8 citations)  
supported by the source but that may return extra **documents**. The results are then processed by a filter  
queries, it may be possible for the front-end to **dynamically** estimate the post-filtering cost and advise  
Abstract Non-uniform query languages make **searching** over heterogeneous information sources  
[www-db.stanford.edu/pub/papers/qt-eval.ps](http://www-db.stanford.edu/pub/papers/qt-eval.ps)

Machine Learning as Massive Search - Segal (1997) (Correct)  
.38 3.2.3 **Dynamic** Reorganization .  
Machine Learning as Massive **Search** by Richard B. Segal A dissertation submitted in  
Washington Abstract Machine Learning as Massive **Search** by Richard B. Segal Chairperson of Supervisory  
[www.cs.washington.edu/homes/segal/thesis.ps.Z](http://www.cs.washington.edu/homes/segal/thesis.ps.Z)

First 20 documents Next 20

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)



Find: abstract engine dynamic search

Documents

Citations

Searching for **PHRASE abstract engine dynamic search.**Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[An Abstract Interpreter for Improving the Efficiency .. - Ciampolini, Lamma.. \(1996\) \(Correct\)](#)Report no. DEIS-LIA-96-002 LIA Series no. 9 An **Abstract** Interpreter for Improving the Efficiency of stack Several applications both in the Software **Engineering** and the Artificial Intelligence area require Interpreter for Improving the Efficiency of **Dynamic** Modular Logic Languages Universit'a degli Studi  
www-lia.deis.unibo.it/Research/TechReport/lia96002.ps.Z[Estimating the Usefulness of Search Engines - Meng, Liu, Yu, Wu, Rishe \(1999\) \(Correct\) \(5 citations\)](#)Florida International University, Miami, FL 33199 **Abstract** In this paper, we present a statistical method Estimating the Usefulness of **Search Engines** Weiyi Meng 1 King-Lup Liu 2 Clement of the weights of each term in all documents to **dynamically** adjust the average weight and probability of panda.cs.binghamton.edu/~meng/pub.d/icde99.ps.gz[Fast Approximate String Matching in a Dictionary - Baeza-Yates, Navarro \(1998\) \(Correct\)](#)Santiago -Chile frbaeza,gnavarrog@dcc.uchile.cl **Abstract** A successful technique to **search** large textual environments. For instance, a Web **search engine** which receives many requests per second cannot but the text cannot. The classical solution uses **dynamic** programming and is O(mn) time [16]Nowadays, ftp.dcc.uchile.cl/pub/users/gnavarro/spire98.2.ps.gz[Design of The DOE2000 Electronic Notebook - Lbnl Components \(2000\) \(Correct\)](#)3. ICSD, UFRGS, inf@ufrgs.br. Page 2 **Abstract** This report details the design of the DOE2000 8 3.2. The Electronic Notebook **engine**.12  
www-itg.lbl.gov/~ssachs/resume/./doe2000/en.doe2000.design.ps[The Dynamics of Dynamic Variable Ordering Heuristics - Prosser \(1998\) \(Correct\) \(2 citations\)](#)G1 1XH, Scotland. E-mail: pat@cs.strath.ac.uk **Abstract**. It has long been accepted that **dynamic** variable The **Dynamics** of **Dynamic** Variable Ordering Heuristics Patrick and attempts to measure the entropy of the **search** process at different depths in the **search** tree. 1  
www.cs.strath.ac.uk/~apes/papers/pcp98.ps.gz[Machine Learning as Massive Search - Segal \(1997\) \(Correct\)](#)Signature Date University of Washington **Abstract** Machine Learning as Massive **Search** by Richard Oren Etzioni Department of Computer Science and **Engineering** Machine learning is the inference of general .38 3.2.3 **Dynamic** Reorganization .  
www.cs.washington.edu/homes/segal/thesis.ps.Z[A Transfer Protocol for an Open Hyperdocument Model Server - Buford \(1995\) \(Correct\)](#)Lowell, Lowell, MA, USA buford@cs.uml.edu **Abstract**: The http protocol is a fundamental component of 1. Progression of the generality in hypertext **engine** design: 1) completely custom architecture, 2) documents that have interactive and embedded **dynamic** behavior, temporal semantics, and dmsl.cs.uml.edu/~buford/papers/edmedia95.ps.gz[Rule-Based Query Optimization, Revisited - Warshaw, Miranker \(1999\) \(Correct\) \(1 citation\)](#)512-835-3520 warshaw, miranker} cs.utexas.edu **Abstract** We present the architecture and a performance the rule language and its underlying execution **engine**. Hence, these optimizers have been successful costmodels are simplified through sub-typing and **dynamic** dispatch (virtual function invocation within www.arlut.utexas.edu/~warshaw/papers/rule-opt99.ps[Using Relevance Feedback and Ranking in Interactive.. - Belkin, Cool.. \(1996\) \(Correct\) \(4 citations\)](#)**Abstract** We present results of a study in which 50 using a simple interface to the INQUERY retrieval **engine**. The foci of our study were: the relationships Using Relevance Feedback and Ranking in Interactive **Searching** Nicholas J. Belkin Colleen Cool, Jrgen

[trec.nist.gov/pubs/trec4/papers/ruint\\_paper.ps](http://trec.nist.gov/pubs/trec4/papers/ruint_paper.ps)

Nozomi - A Fast, Memory-Efficient Stack Decoder For Lvcscr - Schuster (1996) (Correct)

[gustl@itl.atr.co.jp](mailto:gustl@itl.atr.co.jp) [www.itl.atr.co.jp/](http://www.itl.atr.co.jp/) **ABSTRACT** This paper describes some of the implementation The goal for implementation of any **search engine** must be to minimize time and memory requirements hypotheses which are to be expanded. Because the **dynamic** LM score lookup can take any word history into [www.aist-nara.ac.jp/IS/Shikano-lab/staff/1996/mike-s/papers/icslp98.ps.gz](http://www.aist-nara.ac.jp/IS/Shikano-lab/staff/1996/mike-s/papers/icslp98.ps.gz)

Taming Message Passing: Efficient Method Look-Up for... - Vitek, Horspool (1994) (Correct) (12 citations)

P.O. Box 3055, Victoria BC, Canada V8W 3P6 **Abstract.** Method look-up for **dynamically** typed Message Passing: Efficient Method Look-Up for **Dynamically** Typed Languages Jan Vitek 1 and R. Nigel is usually implemented by a cached inheritance **search**. Unfortunately, this technique is slow. A [cui.unige.ch/OSG/people/jvitek/Publications/ecoop94.ps.gz](http://cui.unige.ch/OSG/people/jvitek/Publications/ecoop94.ps.gz)

Web Document Clustering: A Feasibility Demonstration - Zamir, Etzioni (1998) (Correct) (74 citations)

U.S.A. [zamir,etzioni@cs.washington.edu](mailto:zamir,etzioni@cs.washington.edu) **Abstract** Users of Web **search engines** are often forced to Oren Etzioni Department of Computer Science and **Engineering** University of Washington Seattle, WA automatically organizing on-line books into **dynamic** bookshelves. In Proceedings of RIAO'94, 1994. G. [zhadum.cs.washington.edu/zamir/sigir98.ps](http://zhadum.cs.washington.edu/zamir/sigir98.ps)

A Quadratic Optimiser in a Constraint Logic Programming Paradigm - Abbass (Correct)

logic programming paradigm H.A.Abbass 1 **Abstract** This paper presents a quadratic optimiser for mathematical system of equations, the Prolog **engine** will go into infinite loop (the **search** space is 1 .If we depend on depth first, left to right, **search** 2 to generate all possible solutions for this [www.fit.qut.edu.au/~abbass/publications/clpq\\_ai98.ps.gz](http://www.fit.qut.edu.au/~abbass/publications/clpq_ai98.ps.gz)

Large Combinatorial Optimization Problems: a Methodology for... - Gervet (1998) (Correct) (5 citations)

SW7 2AZ, U.K. E-mail :[c.gervet@icparc.ic.ac.uk](mailto:c.gervet@icparc.ic.ac.uk) **Abstract** :Large Scale Combinatorial Optimization the constraint handling algorithm and the **search engine**. The constraint handling algorithm is a generic models (e.g. linear models, integer models, **dynamic** models)Because MP technology was not initially [www.icparc.ic.ac.uk/~cg6/publications/jfpl98.ps](http://www.icparc.ic.ac.uk/~cg6/publications/jfpl98.ps)

Building a Digital Library for Computer Science Research... - Ian Witten (1996) (Correct) (2 citations)

Zealand. [ihw,sgn,sallyjo@cs.waikato.ac.nz](mailto:ihw,sgn,sallyjo@cs.waikato.ac.nz) **Abstract** Technical reports are available electronically Zealand site would hold only an index and **search engine**, the documents themselves remaining in their report archives, and supports a variety of **search** types despite the fact that documents are not [www.nzdl.org/publications/1996/ACSC.ps](http://www.nzdl.org/publications/1996/ACSC.ps)

Jambalaya: Using Multicast for Blind Distributed Web Searching... - Navas, Hirsh (1998) (Correct)

{[navas,hirsh@cs.rutgers.edu](mailto:navas,hirsh@cs.rutgers.edu) November 30, 1998 **Abstract** Currently, the communication protocols for the at a well-known location, such as at a web **search engine**, thus creating islands of meta-information. By of transmitting a datagram from a sender to a **dynamic** group of receivers. Like unicasting, multicast [www.cs.rutgers.edu/pub/technical-reports/dcs-tr-377.ps.Z](http://www.cs.rutgers.edu/pub/technical-reports/dcs-tr-377.ps.Z)

Animation of Human Diving - Wayne Wooten (1996) (Correct) (6 citations)

Institute of Technology, Atlanta, Georgia, USA **Abstract** The motion of a human platform diver was Computer Methods in Applied Mechanics and **Engineering**, 1, pp. 1-16 (1972)33. C. V. Heck, I. E. of a human platform diver was simulated using a **dynamic** model and a control system. The **dynamic** model [www.gvu.gatech.edu/gvu/people/student/wlw/newstuff/wlw-desk/.cgf96.ps.Z](http://www.gvu.gatech.edu/gvu/people/student/wlw/newstuff/wlw-desk/.cgf96.ps.Z)

Time-First Search For Large Vocabulary Speech Recognition - Robinson, Christie (1998) (Correct) (10 citations)

1 [ajr@softsound.com](mailto:ajr@softsound.com) [fajr,jdmc2g@eng.cam.ac.uk](mailto:fajr,jdmc2g@eng.cam.ac.uk) **ABSTRACT** This paper describes a new **search** technique for AL3 4BF, United Kingdom. 1 Cambridge University **Engineering** Department, Trumpington Street, Cambridge, United Kingdom. 2 It is also applicable to other **dynamic** programming based **searches** 3 [svr-www.eng.cam.ac.uk/~ajr/GroupPubs/RobinsonChristie98.ps](http://svr-www.eng.cam.ac.uk/~ajr/GroupPubs/RobinsonChristie98.ps)

A Space-Efficient and Self-Stabilizing Depth-First Token... - Petit, Villain (1997) (Correct) (3 citations)

Asynchronous Message-Passing Systems Extended **Abstract**) Franck Petit and Vincent Villain LaRIA, algorithm only needs locally properties, it runs on **dynamic** networks in which the topology may change of communications links in the network. Procedure **SEARCH** if (V isited =NB) then C /C 1) mod2 V

[www.laria.u-picardie.fr/~petit/publi/EUROP97.ps.gz](http://www.laria.u-picardie.fr/~petit/publi/EUROP97.ps.gz)

[A Knowledge Base for a Neural Guidance System - Krosley, Misra \(Correct\)](#)

[mmisra@mines.colorado.edu](mailto:mmisra@mines.colorado.edu) **Abstract** We propose an autonomous guidance system which Instead of depending upon knowledge encoded by an **engineer**, a neural network learns relationships among Neural Networks, Distributed Representations, **Dynamic** Link Architecture, Schema Theory, Robot [kafanchan.mines.colorado.edu/pub/papers.dir/mcs9318.ps.Z](http://kafanchan.mines.colorado.edu/pub/papers.dir/mcs9318.ps.Z)

*First 20 documents* [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)





Find: abstract engine metadata

Documents

Citations

Searching for **PHRASE abstract engine metadata**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[Classifying Network Architectures for Locating Information.. - Dolin, Agrawal, Abbadi \(1997\)](#) (Correct) [\(5 citations\)](#)  
 agrawal, amrg@cs.ucsb.edu September 14, 1996 **Abstract** This paper presents three broad classes of as circles, ffi, in the model diagrams. A search **engine** is an interface which accepts as input a query and the extraction, propagation, and retrieval of **metadata** are defined. Based on these concepts, different [www.cs.ucsb.edu/TRs/techreports/TRCS96-23.ps](http://www.cs.ucsb.edu/TRs/techreports/TRCS96-23.ps)

[Estimating the Usefulness of Search Engines - Meng, Liu, Yu, Wu, Rishe \(1999\)](#) (Correct) [\(5 citations\)](#)  
 Florida International University, Miami, FL 33199 **Abstract** In this paper, we present a statistical method Estimating the Usefulness of Search Engines Weiyi Meng 1 King-Lup Liu 2 Clement local updates may need to be propagated to the **metadata** that represent the contents of local databases, [panda.cs.binghamton.edu/~meng/pub.d/icde99.ps.gz](http://panda.cs.binghamton.edu/~meng/pub.d/icde99.ps.gz)

[Kendra: Internet Distribution Delivery System - Mccann And \(1998\)](#) (Correct) [\(1 citation\)](#)  
 performance, Quality of Service, Adaptability **ABSTRACT** Kendra's primary objective is to test the results asynchronously. Currently most Web-search **engines** are limited to searching textual content, London, UK {jam, jsc} [cs.city.ac.uk](http://cs.city.ac.uk) **KEYWORDS** Metadata, Internet performance, Quality of Service, [www.cs.city.ac.uk/~jam/papers/scs.ps](http://www.cs.city.ac.uk/~jam/papers/scs.ps)

[Metadata: Standards for Retrieving WWW Documents \(and Other.. - Rusch-Feja \(1998\)](#) (Correct)  
 Germany, e-mail: [ruschfeja@mpib-berlin.mpg.de](mailto:ruschfeja@mpib-berlin.mpg.de) **Abstract**. The use of **metadata** for indexing digitized and using **metadata** than relying on universal search **engines** and furthermore, **metadata** can be used as of the Pacific. All rights reserved. ds.**Metadata: Standards for Retrieving WWW Documents (and** [www.eso.org/gen-fac/libraries/lisa3/reprints/ruschfejad.ps.gz](http://www.eso.org/gen-fac/libraries/lisa3/reprints/ruschfejad.ps.gz)

[Metadata: An Overview And Some Issues - Jeffery \(1998\)](#) (Correct) [\(4 citations\)](#)  
 ISSUES Keith G Jeffery Head Information Systems Engineering Division, CLRC-RAL, UK [kgj@rl.ac.uk](mailto:kgj@rl.ac.uk) 1. 1 **Metadata: An Overview And Some Issues** Keith G Jeffery the integration techniques. 1.2 The solution -**Metadata** For all of the above to be realised, there is [www.ercim.org/publication/ws-proceedings/11th-EDRG/jefferey.ps.gz](http://www.ercim.org/publication/ws-proceedings/11th-EDRG/jefferey.ps.gz)

[Design of The DOE2000 Electronic Notebook - Lbnl Components \(2000\)](#) (Correct)  
 3. ICSD, UFRGS, [inf@ufrgs.br](mailto:inf@ufrgs.br). Page 2 **Abstract** This report details the design of the DOE2000 8 3.2. The Electronic Notebook **engine**.12 [www-itg.lbl.gov/~ssachs/resume/./doe2000/en.doe2000.design.ps](http://www-itg.lbl.gov/~ssachs/resume/./doe2000/en.doe2000.design.ps)

[The Implementation of an Interface to Metadata in P/FDM - Embury \(1991\)](#) (Correct)  
 College, Aberdeen, AB9 1AS, Scotland, UK. **Abstract** A convenient and uniform interface to **metadata** to **metadata** provides the possibility of schema re-engineering, ie. inferring a Daplex schema description AUCS/TR9114 The Implementation of an Interface to **Metadata** in P/FDM Suzanne M. Embury Department of [www.csd.abdn.ac.uk/~pfdm/postscript/embury.1991.ps](http://www.csd.abdn.ac.uk/~pfdm/postscript/embury.1991.ps)

[Accessing Geographical Metafiles through a Database Storage.. - Blott, Vckovski \(1995\)](#) (Correct) [\(2 citations\)](#)  
 System Stephen Blott Andrej Vckovski y **Abstract** We describe a database storage extension for recent years, particularly within scientific and engineering disciplines. This importance is mostly a database storage extension for geographical **metadata**, discuss the retrieval requirements of such an [www.bell-labs.com/~blott/Postscript/SSD95.ps](http://www.bell-labs.com/~blott/Postscript/SSD95.ps)

[MDAS - A Massive Data Analysis System - Reagan Moore](#) (Correct)  
 Technologies Group San Diego Supercomputer Center **Abstract** Information based computing is the concept that systems. The environment is based upon the use of **metadata** catalogs. **Metadata** modeling, collection, and

is based upon the use of **metadata** catalogs. **Metadata** modeling, collection, and management is a key  
[www.npaci.edu/DICE/Pubs/mdas.ps](http://www.npaci.edu/DICE/Pubs/mdas.ps)

Global Integration of Visual Databases - Wendy Chang (1998) (Correct) (1 citation)

Xerox Research Center Webster, NY 14580 **Abstract** Different visual databases have been designed  
 Address: Department of Electrical and Computer **Engineering**, State University of New York at Buffalo,  
 a metasearch including a hierarchical **metadatabase**, a metasearch agent, and a query manager is  
[www.rit.edu/~wcceec/.papers/icde98.ps](http://www.rit.edu/~wcceec/.papers/icde98.ps)

Dynamic Persistent Metadata: A Metaobject Protocol Based.. - Eric Peterson (1995) (Correct)

(703) 883-6116 FAX: (703) 883-6435 July 27, 1995 **Abstract** Object-oriented and relational databases  
 the implementation of certain types of inference **engines**, it is useful to associate triggering behavior  
**Dynamic Persistent Metadata: A Metaobject Protocol Based Approach to**  
[www.cs.umd.edu/users/ericp/persistent-metadata.ps](http://www.cs.umd.edu/users/ericp/persistent-metadata.ps)

The Stanford Digital Library Metadata Architecture - Baldonado, Chang, Gravano.. (1997) (Correct)  
 (20 citations)

Phone: 1-415-723-9684 FAX: 1-415-725-2588 **Abstract**. The overall goal of the Stanford Digital  
 Query Translation There are a wealth of search **engines** behind the collections in digital libraries,  
 by hand later) The Stanford Digital Library **Metadata** Architecture Michelle Baldonado, Chen-Chuan  
[www.cs.columbia.edu/~gravano/Papers/1997/jodl97.ps](http://www.cs.columbia.edu/~gravano/Papers/1997/jodl97.ps)

An Approach to Large Scale Distributed Information Systems.. - Crowder, Nicholas (1995) (Correct)  
 (6 citations)

DomainIndependent Automatic Indexing Terms for **Abstracting**. JASIS, April 1995. Dam95] Marc Damashek.  
 Computer Science and Electrical **Engineering** Department University of Maryland Baltimore  
 the use of automatically generated, effective **metadata**. In this case, **metadata** is effective when it  
[www.cs.umbc.edu/~crowder/pubs/CIKM.ps](http://www.cs.umbc.edu/~crowder/pubs/CIKM.ps)

Logical Information Modeling of Web-accessible Heterogeneous.. - Kshitij Shah (1998) (Correct) (1 citation)

amitcs.uga.edu, lsdcs.uga.edu **Abstract** This paper introduces the MREF framework for  
 direct help for searching. Web crawlers and search **engines** try to impose some sort of an order by building  
 information systems today. The role that **metadata** plays in this framework is described, together  
[ra.cs.uga.edu/publications/adl/adl.ps](http://ra.cs.uga.edu/publications/adl/adl.ps)

Metadata for building the MultiMedia Patch Quilt - Kashyap, Shah, Sheth (1995) (Correct) (9 citations)

Rutgers University, New Brunswick, NJ 08903 **Abstract**. Huge amounts of data available in a variety of  
 In Proceedings of the 11th IEEE Conference on Data **Engineering**, February 1995. She91] A. Sheth. Semantic  
 . **Metadata** for building the MultiMedia Patch Quilt Vipul  
[ra.cs.uga.edu/~arnit/67-PatchQuilt.ps](http://ra.cs.uga.edu/~arnit/67-PatchQuilt.ps)

Different Perspectives of Metadata for Web-based.. - Vassiliadis, Stavrakas (Correct)

Athens, Greece, pvassil, ys@dbnet.ece.ntua.gr **Abstract**. **Metadata** can be of extreme value during the  
 to be resolved from the part of the latter. Search **engine** technologies are employed to simplify the process  
 1 Different Perspectives of **Metadata** for Web-based Information Systems" Panos  
[www.ercim.org/publication/ws-proceedings/11th-EDRG/pvassil1.ps.gz](http://www.ercim.org/publication/ws-proceedings/11th-EDRG/pvassil1.ps.gz)

2nd IEEE Metadata Conference - Notes - Galhardas (1997) (Correct)

papers are the last ones that work at the **abstract** level -Description Logics like)the second  
 the use of the Web and information retrieval **engines** that allow the searching operations. This kind  
 2nd IEEE **Metadata** Conference -Notes Helena Galhardas September  
[www-rodin.inria.fr/~galharda/resumem.ps](http://www-rodin.inria.fr/~galharda/resumem.ps)

Facilities For Exploring Molecular Biology Databases.. - Markowitz, Chen.. (Correct)

definitions describing the real world or **abstract** concepts represented by the view construct, and  
 Exploring MBDs involves examining the structure (**metadata**) of MBDs, browsing and querying MBDs, and  
 Web, that is, retrieving and interpreting MBD **metadata** and data. We apply these criteria in comparing  
[gizmo.lbl.gov/DM\\_TOOLS/OPM/WebInt/WebInt.ps](http://gizmo.lbl.gov/DM_TOOLS/OPM/WebInt/WebInt.ps)

Metadata for Digital Libraries: Architecture and.. - Baldonado, Chang.. (1997) (Correct) (11 citations)

fmichelle,kevin,gravano,paepckeg@db.stanford.edu **Abstract** In a distributed, heterogeneous, proxy-based

Dialog Information Service, World-Wide Web search **engines**, automatic document summarizers, bibliography  
**Metadata** for Digital Libraries: Architecture and Design  
[www.cs.columbia.edu/~gravano/Papers/1997/dl97.ps](http://www.cs.columbia.edu/~gravano/Papers/1997/dl97.ps)

*First 20 documents* [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

**Searching for PHRASE index engine abstract engine link web crawling**

Restrict to: Header Title Order by: Citations Hubs Usage Date Try: Amazon B&N Google (RI) Google (Web) CSB DBLP

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. Only retrieving 500 documents (System busy - maximum reduced). Retrieving documents... Order: relevance to query.

MetaSEEK: A Content-Based Meta-Search Engine for Images - Beigi, Benitez, Chang (1997) (Correct) (9 citations)

search engines. Large-scale search engines try to index the contents of the entire World Wide Web, but MetaSEEK: A Content-Based Meta-Search Engine for Images Mandis Beigi, Ana B. Benitez, and www.ctr.columbia.edu/~ana/homepage/publications/SPIEjan98.ps

Jambalaya: Using Multicast for Blind Distributed Web Searching .. - Navas, Hirsh (1998) (Correct)

In order to search the Internet for information to index, search engines rely on web crawlers. These at a well-known location, such as at a web search engine, thus creating islands of meta-information. By {navas,hirsh}cs.rutgers.edu November 30, 1998 Abstract Currently, the communication protocols for the www.cs.rutgers.edu/pub/technical-reports/dcs-tr-377.ps.Z

Estimating the Usefulness of Search Engines - Weiyi Meng (1999) (Correct) (4 citations)

can be searched by the search engine. Usually, an index for all documents in the database is created and Estimating the Usefulness of Search Engines Weiyi Meng 1 King-Lup Liu 2 Clement Florida International University, Miami, FL 33199 Abstract In this paper, we present a statistical method panda.cs.binghamton.edu/~meng/pub.d/icde99.ps.gz

A Dynamically Reconfigurable Model for a Distributed Web.. - Hongfei Yan Jianyong (Correct)

crawling more than 10 million web pages and indexing over 7 million web pages (see the web site a well-known Chinese and English web search engine. In addition, we believe that the model can also China {yhf, jwang, lxm }net. cs.pku. edu. cn Abstract A web crawling system using a distributed net.cs.pku.edu.cn/~yhf/.refpaper/dynamic0521.pdf

Using the Web Efficiently: Mobile Crawlers - Fiedler, Hammer (1999) (Correct)

in a database. However, before the pages can be indexed they must first be collected and returned to 2-4, 07743 Jena, Germany. ABSTRACT Search engines have become important tools for Web navigation. GmbH, Leutragraben 2-4, 07743 Jena, Germany. ABSTRACT Search engines have become important tools for ftp.dbcenter.cise.ufl.edu/Pub/publications/MobileCrawling-AoM99.pdf

Clustering and Geo-Spatial Mapping of Search Engine Results - Govindarajan (1998) (Correct)

and fast resource discovery. These robots create index databases which enable the search engines to Clustering and Geo-Spatial Mapping of Search Engine Results M.S Thesis Proposal By Jayesh Institute Road Worcester, MA 01609 July 29, 1998 Abstract With the explosive growth of the available vista.wpi.edu/~jayeshg/carto/THESIS/thesis.ps

Design of The DOE2000 Electronic Notebook - Lbnl Components (2000) (Correct)

the database. Data may be retrieved by a variety of indexes and visual or textual formats. The visual 8 3.2. The Electronic Notebook engine.12 www.itg.lbl.gov/~ssachs/resume/.../doe2000/en.doe2000.design.ps

On Caching Search Engine Results - Markatos (1999) (Correct) (7 citations)

most popular search engines visit the sites they index every month, or so. This implies that the results On Caching Search Engine Results Evangelos P. Markatos Institute of 661 markatos@csi.forth.gr Technical Report 241 Abstract In this paper we explore the problem of Caching www.ccsf.caltech.edu/~markatos/avg/papers/1999.TR241.Caching\_search\_engines.ps.gz

Human Performance on Clustering Web Pages: A.. - Macskassy, Banerjee.. (1998) (Correct) (5 citations)

facility (webwatcher.rutgers.edu) which indexes all pages at Rutgers University that are multiple queries or using a topic-specific search engine. One way to help in the search is by grouping fsofmac,arunava,davison,hirshg@cs.rutgers.edu Abstract With the increase in information on the World

[www.cs.rutgers.edu/~davison/pubs/kdd98.ps](http://www.cs.rutgers.edu/~davison/pubs/kdd98.ps)

Building Domain-Specific Search Engines with Machine .. - McCallum, Nigam.. (1999) (Correct) (12 citations)  
**engine** must begin with a collection of documents to **index**. A spider (or "**crawler**") is an agent that  
Building Domain-Specific Search **Engines** with Machine Learning Techniques Andrew  
Carnegie Mellon University Pittsburgh, PA 15213 **Abstract** Domain-specific search **engines** are growing in  
[www.cs.cmu.edu/~mccallum/papers/cora-aaaiss99.ps.gz](http://www.cs.cmu.edu/~mccallum/papers/cora-aaaiss99.ps.gz)

Integrating Database and World Wide Web Technologies - Feng (1998) (Correct) (2 citations)  
database techniques to the **Web**, including building **indexes**, extending HTML language, adopting  
**indexes** of keywords. The **indexes** in most search **engines** are inverted file **indexes**, which may in turn be  
Hong Kong, P.R.China csifeng@comp.polyu.edu.hk **Abstract** Integrating database and World Wide **Web**  
[www.cs.ust.hk/faculty/luhj/ps/www.ps.gz](http://www.cs.ust.hk/faculty/luhj/ps/www.ps.gz)

CoBWeb - A Crawler for the Brazilian Web - Silva, Veloso, Golgher.. (Correct)  
these local document copies can be used to produce **index** terms, which are required for speeding up the  
One of the key components of current **Web** search **engines** is the document collector. This paper describes  
**Abstract** One of the key components of current **Web** search  
[www.lbd.dcc.ufmg.br/~alti/artigos/spire99\\_cow.ps.gz](http://www.lbd.dcc.ufmg.br/~alti/artigos/spire99_cow.ps.gz)

Search and Ranking Algorithms for Locating Resources on the.. - Yuwono, Lee (1996) (Correct) (11 citations)  
discovery, information retrieval, world wide **web** **indexing**, text database 1 Introduction The World Wide  
user client **index** builder **index** database search **engine** interface user saved queries result query  
[www.cs.bilkent.edu.tr/~gural/CS550/budidik.ps](http://www.cs.bilkent.edu.tr/~gural/CS550/budidik.ps)

IP Switching and Gigabit Routers - Newman, Minshall, Lyon, Huston (1997) (Correct) (25 citations)  
components of the gigabit router. The forwarding **engine** inspects packet headers, determines to which  
components necessary to interface the external data link to the switch fabric. The switch fabric is used  
every 56 weeks since 1989 [14] and the number of **web** servers has doubled at least every 23 weeks for  
[www.ipsilon.com/~pn/papers/ieee\\_comm96.ps](http://www.ipsilon.com/~pn/papers/ieee_comm96.ps)

Web Document Clustering: A Feasibility Demonstration - Zamir, Etzioni (1998) (Correct) (47 citations)  
have long been used to supplement word-based **indexing** in IR systems (e.g. Buckley et. al. 95) The  
Oren Etzioni Department of Computer Science and **Engineering** University of Washington Seattle, WA  
U.S.A. zamir, etzioni@cs.washington.edu **Abstract** Users of **Web** search **engines** are often forced to  
[zhadum.cs.washington.edu/zamir/sigir98.ps](http://zhadum.cs.washington.edu/zamir/sigir98.ps)

Formal Models Of Web Queries - Mendelzon (1997) (Correct) (37 citations)  
seem false at first sight to anyone who has used an **index** server such as Altavista [7] These are **Web**  
recall that **index** servers and similar search **engines** can be viewed as navigational access that starts  
1998 in final revised form 14 October 1998) **Abstract** -We present a new formal model of query and  
[ftp.db.toronto.edu/pub/papers/infosysMM.ps.gz](http://ftp.db.toronto.edu/pub/papers/infosysMM.ps.gz)

A Transfer Protocol for an Open Hyperdocument Model Server - Buford (1995) (Correct)  
efficiently at the server by use of pre-computed **index** structures. Similarly, document level access  
1. Progression of the generality in hypertext **engine** design: 1) completely custom architecture, 2)  
Lowell, Lowell, MA, USA buford@cs.uml.edu **Abstract**: The http protocol is a fundamental component of  
[dmsl.cs.uml.edu/~buford/papers/edmedia95.ps.gz](http://dmsl.cs.uml.edu/~buford/papers/edmedia95.ps.gz)

Focused Crawls, Tunneling, and Digital Libraries - Bergmark, Lagoze, Sbityakov (2002) (Correct)  
We start with a topic hierarchy or subject **index**, and then leverage Google to return a few good  
technology was developed for the benefit of search **engines**. Now, **Web** crawling is being seriously considered  
Cornell Digital Library Research Group **Abstract**. Crawling the **Web** to build collections of  
[mercator.comm.nsdlib.org/CollectionBuilding/ECDLpaper2.pdf](http://mercator.comm.nsdlib.org/CollectionBuilding/ECDLpaper2.pdf)

First 20 documents [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - [citeseer.org](http://citeseer.org) - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 [NEC Research Institute](#)